

CAUTION — IF YOU HAVE YOUR JOURNALS BOUND, note that the following 1982 author/subject index contains a substantial number of items referenced to the "A-" pages which always precede the serially numbered main scientific content of each issue. These references cite information of value which, by format, does not lend itself to inclusion in the main portion of the issue.

When binding a year's collection of JOURNALS, it is common practice to strip off and discard the "A-" and "B-" portions of each copy. A number of calls have been received recently from researchers trying to locate information in issues dating back a year or more, reporting that they have an "A-" page reference in hand and cannot find such a page in the copy they are checking. Invariably, they are working with a bound volume where the "A-" pages have been scrapped before binding.

BEFORE DISCARDING 1982 "A-" PAGES — CHECK THEIR CONTENT, either by scanning the index and retaining cited pages, or reviewing each issue and retaining those "A-" pages which may be of future value. Copies of any "A-" pages previously discarded and now needed can be obtained from University Microfilms, Intl. Complete address and telephone number information is listed in the masthead on page A-3 of this or any issue of the JOURNAL.

1982 authors' index . . .

A . . .

HERIN, Robert A.: Getting the message to the farmer	469
AMARNANI, Sukhdev H.: Early evaluation of potential worker exposure problems associated with the Claus-type sulfur recovery process	49
AMDUR, Mary O.: Generation and characterization of submicron aerosols of zinc oxide	880
Respiratory response of guinea pigs to zinc oxide fume	887
AMSTER, R.L.: Six month inhalation toxicity of fluomine dust	66
ANSUL, Gerald R., Ph.D.: A new passive colorimetric air monitoring badge for sampling formaldehyde in air	786
ANTHON, Douglas W.: A recommendation for combining the standard analytical methods for the determination of formaldehyde and total aldehydes in air	362
APPELMAN, L.M.: Acute inhalation toxicity study of ammonia in rats with variable exposure periods	662
ARAI, Douglas K.: Determination of nitrites in metal cutting fluids by ion chromatography	942
ARMSTRONG, Thomas J., Ph.D.: Investigation of cumulative trauma disorders in a poultry processing plant	103
Health effect of occupational exposure to steady magnetic fields	387
ATKINS, Patrick R.: Downwash of gas vented from top of cubical building model	466
AYALP, Ahmet: Evaluation of occupational exposure to free silica in Alberta foundries	825
AYER, Howard: Determination of critical anthropometric parameters for design of respirators	897

B . . .

BAIER, Edward J.: Do occupational health guidelines and standards protect workers? (Cummings Memorial Lecture - 1982)	629
BAKER, Berstii B., Jr.: Infrared spectral examination of air monitoring badges	98
BALDWIN, Cynthia A., M.S.: Application of the K ² asbestos screening test in Colorado schools	602
BARROW, Craig S.: Acute inhalation toxicity and sensory irritation of dimethylamine	411
BARTLEY, David L., Ph.D.: Analysis and optimization of the performance of the 10mm cyclone	520
BEAULIEU, Harry J., Ph.D.: Application of the K ² asbestos screening test in Colorado schools	602
Air volume measurement error in pumps with rotameters and high range "constant flow" pumps	754
BEDI, John F.: Human exposure to sulfur dioxide and ozone in a high temperature-humidity environment	26
BERMEL, Marcus S.: Duration of pulmonary function adaptation to ozone in humans	832
BERNI, Ralph J.: Extraction of lacinilene C 7-methyl ether in cotton dust and related materials	782
BERUBE, Lori, B.A.: Lead exposure reduction in workers using stabilizers in PVC manufacture: effects of a new encapsulated stabilizer	652
BETHEA, R.M.: Use of a fluorescent cotton dust tracer for an engineering analysis of early stages in cotton textile manufacturing	477
BHATTACHARYA, Amit: Determination of critical anthropometric parameters for design of respirators	897
BISHOP, E.C., Ph.D.: Predicting relative vapor ratios for organic solvent mixtures	656
BOMBI, G. Giorgio: Purge and trap analysis of toluene in blood: comparison with the head space method	938
BORTON, Thomas E.: Physical characteristics and attenuation of foam earplugs	31
BOURCIER, D.R.: A stationary cold vapor method for atomic absorption measurement of mercury in blood and urine used for exposure screening	329
BOWERS, R.S.: Six month inhalation toxicity of fluomine dust	66
BRADLEY, Oville: Physiological response to "pressure-demand" respirator wear	773
BREUER, George M., Ph.D.: Analysis and optimization of the performance of the 10mm cyclone	520
BRIGGS, T.M.: Methodology for an occupational risk assessment: an evaluation of four processes for the fabrication of photovoltaic cells	73
BROUGHTON, Roy M., Jr.: Physical characteristics and attenuation of foam earplugs	31
BROWN, Calvin Reed, M.D.: Comparison of hearing loss in the first year of employment in workers assigned to noise-hazard and non-noise-hazard areas at the state prison industries	39

CAUTION — IF YOU HAVE YOUR JOURNALS BOUND, note that the following 1982 author/subject index contains a substantial number of items referenced to the "A-" pages which always precede the serially numbered main scientific content of each issue. These references cite information of value which, by format, does not lend itself to inclusion in the main portion of the issue.

When binding a year's collection of JOURNALS, it is common practice to strip off and discard the "A-" and "B-" portions of each copy. A number of calls have been received recently from researchers trying to locate information in issues dating back a year or more, reporting that they have an "A-" page reference in hand and cannot find such a page in the copy they are checking. Invariably, they are working with a bound volume where the "A-" pages have been scrapped before binding.

BEFORE DISCARDING 1982 "A-" PAGES — CHECK THEIR CONTENT, either by scanning the index and retaining cited pages, or reviewing each issue and retaining those "A-" pages which may be of future value. Copies of any "A-" pages previously discarded and now needed can be obtained from University Microfilms, Intl. Complete address and telephone number information is listed in the masthead on page A-3 of this or any issue of the JOURNAL.

1982 authors' index . . .

A . . .

HERIN, Robert A.: Getting the message to the farmer	469
AMARNANI, Sukhdev H.: Early evaluation of potential worker exposure problems associated with the Claus-type sulfur recovery process	49
AMDUR, Mary O.: Generation and characterization of submicron aerosols of zinc oxide	880
Respiratory response of guinea pigs to zinc oxide fume	887
AMSTER, R.L.: Six month inhalation toxicity of fluomine dust	66
ANSUL, Gerald R., Ph.D.: A new passive colorimetric air monitoring badge for sampling formaldehyde in air	786
ANTHON, Douglas W.: A recommendation for combining the standard analytical methods for the determination of formaldehyde and total aldehydes in air	362
APPELMAN, L.M.: Acute inhalation toxicity study of ammonia in rats with variable exposure periods	662
ARAI, Douglas K.: Determination of nitrites in metal cutting fluids by ion chromatography	942
ARMSTRONG, Thomas J., Ph.D.: Investigation of cumulative trauma disorders in a poultry processing plant	103
Health effect of occupational exposure to steady magnetic fields	387
ATKINS, Patrick R.: Downwash of gas vented from top of cubical building model	466
AYALP, Ahmet: Evaluation of occupational exposure to free silica in Alberta foundries	825
AYER, Howard: Determination of critical anthropometric parameters for design of respirators	897

B . . .

BAIER, Edward J.: Do occupational health guidelines and standards protect workers? (Cummings Memorial Lecture - 1982)	629
BAKER, Berstil B., Jr.: Infrared spectral examination of air monitoring badges	98
BALDWIN, Cynthia A., M.S.: Application of the K ² asbestos screening test in Colorado schools	602
BARROW, Craig S.: Acute inhalation toxicity and sensory irritation of dimethylamine	411
BARTLEY, David L., Ph.D.: Analysis and optimization of the performance of the 10mm cyclone	520
BEAULIEU, Harry J., Ph.D.: Application of the K ² asbestos screening test in Colorado schools	602
Air volume measurement error in pumps with rotameters and high range "constant flow" pumps	754
BEDI, John F.: Human exposure to sulfur dioxide and ozone in a high temperature-humidity environment	26
BERMEL, Marcus S.: Duration of pulmonary function adaptation to ozone in humans	832
BERNI, Ralph J.: Extraction of lacinilene C 7-methyl ether in cotton dust and related materials	782
BERUBE, Lori, B.A.: Lead exposure reduction in workers using stabilizers in PVC manufacture: effects of a new encapsulated stabilizer	652
BETHEA, R.M.: Use of a fluorescent cotton dust tracer for an engineering analysis of early stages in cotton textile manufacturing	477
BHATTACHARYA, Amit: Determination of critical anthropometric parameters for design of respirators	897
BISHOP, E.C., Ph.D.: Predicting relative vapor ratios for organic solvent mixtures	656
BOMBI, G. Giorgio: Purge and trap analysis of toluene in blood: comparison with the head space method	938
BORTON, Thomas E.: Physical characteristics and attenuation of foam earplugs	31
BOURCIER, D.R.: A stationary cold vapor method for atomic absorption measurement of mercury in blood and urine used for exposure screening	329
BOWERS, R.S.: Six month inhalation toxicity of fluomine dust	66
BRADLEY, Oville: Physiological response to "pressure-demand" respirator wear	773
BREUER, George M., Ph.D.: Analysis and optimization of the performance of the 10mm cyclone	520
BRIGGS, T.M.: Methodology for an occupational risk assessment: an evaluation of four processes for the fabrication of photovoltaic cells	73
BROUGHTON, Roy M., Jr.: Physical characteristics and attenuation of foam earplugs	31
BROWN, Calvin Reed, M.D.: Comparison of hearing loss in the first year of employment in workers assigned to noise-hazard and non-noise-hazard areas at the state prison industries	39

AUTHORS' INDEX . . .

BROWN, D.B.: A stationary cold vapor method for atomic absorption measurement of mercury in blood and urine used for exposure screening	329
BUCHAN, Roy M., Dr. P.H.: Application of the K ² asbestos screening test in Colorado schools	602
Air volume measurement error in pumps with rotameters and high range "constant flow" pumps	754
BUCKINGHAM, F.M.: Effectiveness of employee training and motivation programs in reducing exposure to inorganic lead alkyls	692
BURG, J.: Polychlorinated biphenyl exposure in transformer maintenance operations	170
BURG, William R.: A solid sorbent air sampling method for O-phenylenediamine (OPD)	196
Measurements of airborne aflatoxins during the handling of 1979 contaminated corn	580
BURTON, F.G.: Generation and characterization of red phosphorus smoke aerosols for inhalation exposure of laboratory animals	767

C . . .

CANNON, W.C.: Aerosol mixing in an animal exposure chamber having three levels of caging with excreta pans	244
CANT, Stephen M.: Assessment of occupational exposure to arsenic, copper, and lead in a western copper smelter	223
CAPLAN, Knowlton J., P.E.: A performance test for laboratory fume hoods	722
Influence of room air supply on laboratory hoods	738
CARLSON, David H.: The development and application to detector tubes of a laboratory method to assess accuracy of occupational diesel pollutant concentration measurements	275
CARLSON, Paul: Analytical methods applied to Portland, Oregon, volcanic ash analysis	128
CARPENTER, Robert L.: Inhalation toxicology chamber performance: a quantitative model	120
CARROLL, Herbert B., Jr.: The effect of extreme humidity and temperature on gas detector tube performance	18
CHANG, Angel E.: Atomic emission spectrometry of trace levels of beryllium in industrial aerosols	117
Exposure estimates from personal lapel monitors	239
CHASTAIN, James B.: An experimental comparison of three diffusion samplers exposed to concentration profiles of organic vapors	227
CHECKOWAY, Harvey: A hematology survey of workers at a styrene-butadiene synthetic rubber manufacturing plant	164
CHENG, Y.S.: Generation and characterization of ethylene glycol vapors and aerosols	250
CISSIK, John H.: Effects of cigarette smoking on pulmonary function in asymptomatic asbestos workers with normal chest radiograms	381
CLAPP, David E., Ph.D., P.E.: Ventilation design by microcomputer	212
CLARK, M.L.: Generation and delivery of coal liquid aerosols for inhalation studies	486
A laboratory-scale conveyor/metering device and combustor for generating smoke from solids at a uniform rate	764
Generation and characterization of red phosphorus smoke aerosols for inhalation exposure of laboratory animals	767
COCHEO, Vincenzo: Purge and trap analysis of toluene in blood: comparison with the head space method	938
COHEN, Beverly S.: Atomic emission spectrometry of trace levels of beryllium in industrial aerosols	117
Exposure estimates from personal lapel monitors	239
COLE, S.B.: A sampling and analytical procedure for skin-contamination evaluation	473
COOL, Donald A.: A rapid method of determining respiratory uptake of radionuclides of varying aerosol size	8
COOVER, S.R., Ph.D.: Performance of air purifying organic vapor respirators in valveless, bidirectional flow configurations	622
COSTELLO, Richard J.: Protecting workers who clean up hazardous waste sites	12
COTTICA, Danilo: Use of the double elution technique to estimate desorption efficiencies	292
COX, Clinton: Occupational exposures to radiofrequency radiation (18-31 MHz) from RF dielectric heat sealers	149
COX, John D., MSEHE, CIH: Computerization of medical and exposure records	444
CROCKER, T.T.: Effect of sulfur dioxide-sulfate exposure on rat respiratory tract clearance	679
CROUSE, William E.: The effect of extreme humidity and temperature on gas detector tube performance	18

D . . .

DANGWAL, S.K.: Determination of 1,2,3,4,5,6-hexachlorocyclohexane (BHC) in air by microdiffusion method	912
DANIEL, L.G.: Use of a fluorescent cotton dust tracer for an engineering analysis of early stages in cotton textile manufacturing	477
D'APPOLONIA, K.J.: Health matrix - toxic waste isolation	1
DAVIS, John W., Ph.D., P.E.: A dry dust generator system for animal exposures at controlled concentrations	704
Grinding booth for large castings	587
DECKER, J.R.: Aerosol mixing in an animal exposure chamber having three levels of caging with excreta pans	244
Controlled-delivery vapor generator for animal exposures	400
A laboratory-scale conveyor/metering device and combustor for generating smoke from solids at a uniform rate	764
DeFORD, H.S.: A laboratory-scale conveyor/metering device and combustor for generating smoke from solids at a uniform rate	764
DENLEY, Helen V., M.D.: Real time monitoring of methomyl air levels during and after spraying in a greenhouse	190
DESSNERBERGER, Carl: A new passive colorimetric air monitoring badge for sampling formaldehyde in air	786
DIU, C.K.: A comparative study of aerosol deposition in different lung models	54
DONALDSON, Harry M.: Chemical composition of coal and other mineral slags	235
DOSSING, Martin: Formaldehyde induced symptoms in day care centers	366
DROSSOS, Charalampos G., M.D.: Environmental lead pollution in Greece	796

E . . .

EAGLESON, J.M.: Survey, use, and performance of biological safety cabinets	265
EASTERLY, C.E.: Cardiovascular risk from exposure to static magnetic fields	533

ELIA, V.J.: A solid sorbent air sampling method for O-phenylenediamine (OPD)	196
ELISSALDE, G.S.: Alteration of mast cell cyclic AMP levels and its relationship by byssinosis	922
ELISSALDE, M.H., Jr.: Alteration of mast cell cyclic AMP levels and its relationship by byssinosis	922
ELKINS, Harvey B., Ph.D.: The real world - or science fiction (Herbert E. Stokinger Lecture)	717
ELLIOTT, John F.: Generation and characterization of submicron aerosols of zinc oxide	880
ELLIS, Kathryn: Analytical methods applied to Portland, Oregon, volcanic ash analysis	128
ESMEN, Nurtan A.: Design and characterization of a low air flow nebulizer	934

F . . .

FAIRCHILD, C.I.: Particle size sensitivity of two aerosol mass concentration monitors	712
FALBO, Lewis, B.S.: Monitoring of workers exposure to low levels of airborne monomers in a polystyrene production plant	858
FARRELL, Bernard P.: Duration of pulmonary function adaptation to ozone in humans	832
FARROKH, Said R.B.: Design and characterization of a low air flow nebulizer	934
FARSAM, H.: Absorption of lead in Tehran traffic policemen	373
FEIGLEY, Charles E.: An experimental comparison of three diffusion samplers exposed to concentration profiles of organic vapors	227
FIRST, M.W.: Engineering control of asbestos	634
FISCHBEIN, Alf, M.D.: Lead exposure reduction in workers using stabilizers in PVC manufacture: effects of a new encapsulated stabilizer	652
FISCHER, J.J.: Environment influences levels of gram negative bacteria and endotoxin on cotton bracts	290
Microbial and endotoxin content of botanical trash in raw cotton	492
FITZGERALD, B.J.: Effects of intermittent contaminant loading on the bed capacity of activated carbon filters	686
FLESER, Joan M.: Quality-control testing for asbestos analysis with synthetic bulk samples	427
FOARDE, K.K.: Environment influences levels of gram negative bacteria and endotoxin on cotton bracts	290
Microbial and endotoxin content of botanical trash in raw cotton	492
FOLEY, Edward P., Jr.: Occupational exposures to radiofrequency radiation (18-31 MHz) from RF dielectric heat sealers	149
FOLINSBEE, Lawrence J.: Human exposure to sulfur dioxide and ozone in a high temperature-humidity environment	26
FOULKE, James A.: Investigation of cumulative trauma disorders in a poultry processing plant	103

G . . .

GAME, C.J.A., M.B., B.Sc., Ph.D.: Australian TDI workers' sera assayed for IgE against a p-tolyl-isocyanate-human serum albumin conjugate	759
GARTRIDGE, Peter, Ph.D.: Free erythrocyte protoporphyrin, zinc protoporphyrin and blood lead in newly re-exposed smelter workers: a prospective study	516
GERACI, C.L.: Polychlorinated biphenyl exposure in transformer maintenance operations	170
GHITTORI, Sergio: Use of the double elution technique to estimate desorption efficiencies	292
GILL, Michael W.: Respiratory response of guinea pigs to zinc oxide fume	887
GOLDSTEIN, Steven A.: Investigation of cumulative trauma disorders in a poultry processing plant	103
GOODFELLOW, Howard D.: Industrial ventilation - a review and update	175
GOSSELINK, D.W., Ph.D.: Determination of desorption efficiencies in the 3M 3500 Organic Vapor Monitor	569
GOUNARIS, Antonious K., M.D.: Environmental lead pollution in Greece	796
GRANT, George C.: Chemical composition of coal and other mineral slags	235
GRAUL, Robert J.: Specific gravity adjustment of urine analysis results	863
GREENBERG, Leon, Ph.D., P.E., C.S.P.: The practice of occupational safety and health facing the twenty-first century	666
GREENIER, T.J.: Survey, use, and performance of biological safety cabinets	265
GROH, D.J., D.S.: Ventilation design by microcomputer	212
GRUNDER, F.I., M.S.: Blood as a matrix for biological monitoring	271
GUIENT, Val, Jr.: Acrylic acid - the development of an air sampling and analytical methodology for determining occupational exposure	499
GUPTA, V.K.: Toxicology, solvent extraction and spectrophotometric determination of vanadium in complex materials	529
GUSTAFSSON, Tom: Cobalt in hard metal manufacturing dusts	645

H . . .

HAAS, Brenda H.: Industrial hygiene audits	867
HAGER, William L., M.S.: Efficacy of enforcement in an industrial hearing conservation program	455
HALITSKY, James: Atmospheric dilution of fume hood exhaust gases	185
HALL, Stephen K.: Effects of cigarette smoking on pulmonary function in asymptomatic asbestos workers with normal chest radiograms	381
HANSON, D., Ph.D.: Predicting relative vapor ratios for organic solvent mixtures	656
HARLEY, Naomi H.: Atomic emission spectrometry of trace levels of beryllium in industrial aerosols	117
Exposure estimates from personal lapel monitors	239
HARMON, A.D.: Methodology for an occupational risk assessment: an evaluation of four processes for the fabrication of photovoltaic cells	73
HARVEY, T.M.: Characterization of effluents from vehicle air bag inflators	915
HAUN, C.C.: Six month inhalation toxicity of fluomine dust	66
HECK, Mark M.: Noise levels in over-the-road tractors	261
HEIMANN, Ruth: Thermal decomposition products of PVC plastics: effects on guinea pig lung mechanics and pulmonary mixed function oxidase activity	900
HEINSOHN, Robert Jennings, Ph.D., P.E.: Grinding booth for large castings	587

AUTHORS' INDEX . . .

HEMENWAY, David R.: Effects of intermittent contaminant loading on the bed capacity of activated carbon filters	686
Inhalation toxicology chamber performance: a quantitative model	120
Design, development and test results of a horizontal flow inhalation toxicology facility	874
HENSLEY, Charles J.: Determination of N,N-dimethylcarbamoyl chloride (DMCC) in air	838
HERMANN, Edward R., C.E., Ph.D.: Efficacy of enforcement in an industrial hearing conservation program	455
HESSEL, Patrick A.: Noise levels in over-the-load tractors	261
HEYDER, J.: Alveolar deposition of inhaled particles in humans	864
HODGSON, William R.: Computation of permissible noise exposure	371
HOPKE, Philip K.: An improved constant output atomizer	135
The application of factor analysis to source apportionment of aerosol mass	314
HORSTMAN, Sanford W.: Health complaints attributed to the use of carbonless copy paper (A preliminary report)	432
HORVATH, Steven M.: Human exposure to sulfur dioxide and ozone in a high temperature-humidity environment	26
HOYLE, Edward R., M.S.: Efficacy of enforcement in an industrial hearing conservation program	455
HUDGINS, P.A., MSPH: Performance of air purifying organic vapor respirators in valveless, bidirectional flow configurations	622
HURLEY, Donald E.: An evaluation of control technology for spray painting	695

I . . .

IRWIN, Vernon C.: A dry dust generator system for animal exposures at controlled concentrations	704
---	-----

J . . .

JACKS, Thomas J.: Morphological studies of cardroom cotton dust	495
JACOBSON, Arnold P., Ph.D.: Health effect of occupational exposure to steady magnetic fields	387
JAEGER, Rudolph J.: Thermal decomposition products of PVC plastics: effects on guinea pig lung mechanics and pulmonary mixed function oxidase activity	900
JANKO, Marija: Analytical methods applied to Portland, Oregon, volcanic ash analysis	128
JOHNSON, D.E.: Effectiveness of employee training and motivation programs in reducing exposure to inorganic lead and lead alkyls	692
JOHNSON, Dale: Grinding booth for large castings	587
JOHNSON, John H.: The development and application to detector tubes of a laboratory method to assess accuracy of occupational diesel pollutant concentration measurements	275
JOHNSTON, James W.: Investigation of accident-generated aerosols: releases from free fall spills	540
JOSEPH, Bradley S.: Investigation of cumulative trauma disorders in a poultry processing plant	103
JOSHI, B.M.: Characterization of effluents from vehicle air bag inflators	915

K . . .

KALLIOMÄKI, Pirkko-Liisa: Cobalt in hard metal manufacturing dusts	645
KAMON, E.: Dynamic and static lifting capacity and muscular strength of steelmill workers	853
KANAPILLY, G.M.: Generation and characterization of ethylene glycol vapors and aerosols	250
KAY, B.L.: Controlled-delivery vapor generator for animal exposures	400
KEENAN, R.R.: A sampling and analytical procedure for skin-contamination evaluation	473
KENOYER, Judson L.: Effect of sulfur dioxide-sulfate exposure on rat respiratory tract clearance	679
KERFOOT, E.J., Ph.D.: What industrial hygienists should know about TSCA	418
KERR, H. David: Duration of pulmonary function adaptation to ozone in humans	832
KETCHAM, N.H.: A solid sorbent tube for vinyl acetate monomer that eliminates the effect of moisture in environmental sampling	137
KIMBLE, H.J.: A solid sorbent tube for vinyl acetate monomer that eliminates the effect of moisture in environmental sampling	137
KING, Michael V.: Protecting workers who clean up hazardous waste sites	12
KINKEAD, E.R.: Six month inhalation toxicity of fluomine dust	66
KIRK, B.: Comparison of respirable dust specifications with recent lung data	575
KISER, D.: Dynamic and static lifting capacity and muscular strength of steelmill workers	853
KLEINMAN, Goldy D.: Health complaints attributed to the use of carbonless copy paper (A preliminary report)	432
KNIGHT, G.: Comparison of respirable dust specifications with recent lung data	575
KNUTSON, Gerhard W., Ph.D.: A performance test for laboratory fume hoods	722
Influence of room air supply on laboratory hoods	738
KONZ, Stephan: NIOSH lifting guidelines	931
KOPONEN, Matti: Cobalt in hard metal manufacturing dusts	645
KOSTAS, A.V.: Stain length passive dosimeters	820
KRING, Elbert V., Ph.D.: A new passive colorimetric air monitoring badge for sampling formaldehyde in air	786
KU, James C., Ph.D.: Workplace air sampling and polarographic determination of formaldehyde	845
KULLE, Thomas J.: Duration of pulmonary function adaptation to ozone in humans	832
KURLA, W.C., Ph.D.: A solid sorbent tube for vinyl acetate monomer that eliminates the effect of moisture in environmental sampling	137

L . . .

LANE, Douglas A., Ph.D.: Real time monitoring of methomyl air levels during and after spraying in a greenhouse	190
LANGHORST, Marsha L.: Comparative laboratory evaluation of six chlorine monitoring devices	347
LANKENAU, R.O.: Determination of carbon black on silver membrane filters from rubber factory dust	908
LAUTENBERGER, William J., Ph.D.: A new passive colorimetric air monitoring badge for sampling formaldehyde in air	786
LEAVITT, Ron: Computation of permissible noise exposure	371
LEDBETTER, Joe O.: Downwash of gas vented from top of cubical building model	466
LEGENDRE, Louis A.: Assessment of occupational exposure to arsenic, copper, and lead in a western copper smelter	223
Le GUEN, Jean M.: On the visibility of fibers by phase contrast microscopy	505
LEONG, David K.: Determination of nitrites in metal cutting fluids by ion chromatography	942
LEONG, K.H.: An improved constant output atomizer	135
LERNER, Sidney, M.D.: Free erythrocyte protoporphyrin, zinc protoporphyrin and blood lead in newly re-exposed smelter workers: a prospective study	516
LEVINE, Michael Scott, M.S.: Flowrate associated variation in air sampling of low concentrations of benzene in charcoal tubes	423
LIAU, You-Hin: Determination of critical anthropometric parameters for design of respirators	897
LIPPMANN, Morton: Atomic emission spectrometry of trace levels of beryllium in industrial aerosols	117
Exposure estimates from personal lapel monitors	239
LIU, Chung-King: The application of factor analysis to source apportionment of aerosol mass	314
LOMBARDI, Carmen: Stain length passive dosimeters	820
LOVE, Dick: Engineering control of asbestos	634
LUBS, P.L.: What industrial hygienists should know about TSCA	418

Mc . . .

McCAMMON, Charles S., Jr.: The effect of extreme humidity and temperature on gas detector tube performance	18
McCARTHY, John F.: Generation and characterization of submicron aerosols of zinc oxide	880
Respiratory response of guinea pigs to zinc oxide fume	887
McCLELLAN, J.M.: What industrial hygienists should know about TSCA	418
McCURE, F. Leland: Physiological response to "pressure-demand" respirator wear	773
McFARLAND, Andrew R.: Flattening coefficients for DOP and oleic acid droplets deposited on treated glass slides	395
McJILTON, Charles E., Ph.D.: Noise levels in over-the-road tractors	261
Can an ergonomic consortium work?	133
Getting the message to the farmer	469
Empirical calibration of a laser particle size analyzer for silica dust	145
McLEOD, M.J.: Penetration of $>5 \mu\text{m}$ chrysotile fibers through DuPont Tyvek 1422A and Kimberly Clark CPF fabrics	84
Permeation of protective garment material by liquid benzene and by tritiated water	201

M . . .

MacASKILL, Stephen M.: Design, development and test results of a horizontal flow inhalation toxicology facility	874
MacEWEN, J.D.: Six month inhalation toxicity of fluomine dust	66
MACOBY, J.A.: Effectiveness of employee training and motivation programs in reducing exposure to inorganic lead and lead alkyls	692
MAHLUM, D.D.: Generation and delivery of coal liquid aerosols for inhalation studies	486
MAILLIE, H. David: A rapid method of determining the respiratory uptake of radionuclides of varying aerosol size	8
MANNIX, Richard C.: An aerosol and gas aging line suitable for use in inhalation toxicology research	218
Effect of sulfur dioxide-sulfate exposure on rat respiratory tract clearance	679
MAPLES, T.W.: Effectiveness of employee training and motivation programs in reducing exposure to inorganic lead and lead alkyls	692
MARSH, James L., Ph.D.: Health effect of occupational exposure to steady magnetic fields	387
MARSHALL, T.C.: Generation and characterization of ethylene glycol vapors and aerosols	250
MARTONEN, T.B., Ph.D.: Theory and verification of formulae for successful operation of aerosol centrifuges	154
MATIENZO, Luis J.: Determination of N,N-dimethylcarbamoyl chloride (DMCC) in air	838
MATTHEWS, T.G.: Evaluation of a modified CEA Instruments, Inc. Model 555 analyzer for the monitoring of formaldehyde vapor in domestic environments	547
MAVROIDIS, Konstantinos T.H., M.D.: Environmental lead pollution in Greece	796
MEES, F. Stevens: Determination of carbon black on silver membrane filters from rubber factory dust	908
MEHLER, J.E.: Determination of carbon black on silver membrane filters from rubber factory dust	908
MENICHELLI, Robert P.: Primary standard for perfluorobutylene analysis at the picogram level	286
MICHALODIMITRAKIS, Demetrios N., M.D.: Environmental lead pollution in Greece	796
MIKSCHE, Robert R., Ph.D.: A recommendation for combining the standard analytical methods for the determinations of formaldehyde and total aldehydes in air	362
MILLER, Carl: Determination of critical anthropometric parameters for design of respirators	897
MILLER, R.A.: Generation and characterization of red phosphorus smoke aerosols for inhalation exposure of laboratory animals	767
MISHIMA, Jofu: Investigation of accident-generated aerosols: releases from free fall spills	540
MITAL, Anil: Influence of container shape, partitions, frequency, distance, and height level on the maximum acceptable amount of liquid carried by males	813
MOFFITT, A.E., Jr., Sc.D.: Blood as a matrix for biological monitoring	271
MONAT, Jamie P., Ph.D.: Development of a passive dosimeter for hydrogen fluoride monitoring	890

AUTHORS' INDEX . . .

MONTGOMERY, Gilbert M.: The application of positive practice overcorrection to the use of hearing protection	451
MOREY, Phil R.: Environment influences levels of gram negative bacteria and endotoxin on cotton bracts	290
Use of a fluorescent cotton dust tracer for an engineering analysis of early stages in cotton textile manufacturing	477
Microbial and endotoxin content of botanical trash in raw cotton	492
Airborne endotoxin in industries processing vegetable fibers	811
MORSE, Robert: Atomic emission spectrometry of trace levels of beryllium in industrial aerosols	117
MOSELEY, C.I.: Polychlorinated biphenyl exposure in transformer maintenance operations	170
MOSKOWITZ, P.D.: Methodology for an occupational risk assessment: an evaluation of four processes for the fabrication of photovoltaic cells	73
MOSS, Owen R.: Aerosol mixing in an animal exposure chamber having three levels of caging with excreta pans	244
Controlled-delivery vapor generator for animal exposures	400
Inhalation toxicology chamber performance: a quantitative model	120
MOZO, Ben T.: Physical characteristics and attenuation of foam earplugs	31
MULLER, Linda L.: Morphological studies of cardroom cotton dust	495
Extraction of lacinilene C 7-methyl ether in cotton dust and related materials	782
MULLINS, H.E.: Determination of desorption efficiencies in the 3M 3500 Organic Vapor Monitor	569
MURRAY, William E., Jr.: Occupational exposures to radiofrequency radiation (18-31 MHz) from RF dielectric heat sealers	149
MUSCH, David C., M.P.H., Ph.D.: Occupational exposure to carbon black: a particulate sampling study	925
MYERS, Warren R., M.S., M.P.H.: Empirical calibration of a laser particle size analyzer for silica dust	145
MYRONIUK, Darrell: Evaluation of occupational exposure to free silica in Alberta foundries	825

N . . .

NADIM, A.: Absorption of lead in Tehran traffic policemen	373
NAZAR, Mark Z.: Determination of nitrites in metal cutting fluids by ion chromatography	942
NEFF, J.E.: A solid sorbent tube for vinyl acetate monomer that eliminates the effect of moisture in environmental sampling	137
NELSON, Douglas C.: Dermal penetration and potential for placental transfer of the insect repellent, N,N-diethyl-m-toluamide	747
NENADIC, C.M., J.D., CIH, P.E.: Ventilation design by microcomputer	212

O . . .

O'BRIEN, Dennis M.: An evaluation of control technology for spray painting	695
OKOLIE, S.T.: Influence of container shape, partitions, frequency, distance, and height level on the maximum acceptable amount of liquid carried by males	813
OLAN-FIGUEROA, Excel: Flattening coefficients for DOP and oleic acid droplets deposited on treated glass slides	395
OLSEN, Jorgen H.: Formaldehyde induced symptoms in day care centers	366
ORTIZ, Carlos A.: Flattening coefficients for DOP and oleic acid droplets deposited on treated glass slides	395
OSBORNE, Mark D.: The development and application to detector tubes of a laboratory method to assess accuracy of occupational diesel pollutant concentration measurements	275
OSBORNE, Michael C.: Downwash of gas vented from top of cubical building model	466
OWENS, T.W.: Methodology for an occupational risk assessment: an evaluation of four processes for the fabrication of photovoltaic cells	73

P . . .

PAPADOPOU-LOU-DAIFOTIS, Zoe: Environmental lead pollution in Greece	796
PARET, T.: Effects of intermittent contaminant loading on the bed capacity of activated carbon filters	686
PATEL, M.A.: A solid sorbent tube for vinyl acetate monomer that eliminates the effect of moisture in environmental sampling	137
PAUL, Ku Khana Rani: Toxicology, solvent extraction and spectrophotometric determination of vanadium in complex materials	529
PECK, Robert C.: Validation of a method to determine a protection factor for laboratory hoods	596
PEGG, David G.: An apparatus for production of submicron radiolabeled di-2-ethylhexyl phthalate aerosol	333
PERBELLINI, Luigi: Purge and trap analysis of toluene in blood: comparison with the head space method	938
PERKINS, Jimmy L.: Passive dosimetry — state of the art review	605
PFAFFLI, Pirkko: A comparison of methods for the determination of diphenylmethane diisocyanate (MDI) in air samples	160
Detection of free radicals during processing of polyethylene and polystyrene plastics	544
PHALEN, Robert F.: An aerosol and gas aging line suitable for use in inhalation toxicology research	218
Effect of sulfur dioxide-sulfate exposure on rat respiratory tract clearance	679
POPENDORF, W., Ph.D.: Predicting relative vapor ratios for organic solvent mixtures	656
POWELL, Robert W.: Early evaluation of potential worker exposure problems associated with the Claus-type sulfur recovery process	49
POWERS, K.M.: A solid sorbent air sampling method for O-phenylenediamine (OPD)	196
POZZOLI, Luigi: Use of the double elution technique to estimate desorption efficiencies	292
PRAUSNITZ, J., Ph.D.: Predicting relative vapor ratios for organic solvent mixtures	656
PUPONS, Aiga: Quality-control testing for asbestos analysis with synthetic bulk samples	427
PYTEL, J. Landa: Dynamic and static lifting capacity and muscular strength of steelmill workers	853

Q . . .

QUAN, Ernest S.K.: Real time monitoring of methomyl air levels during and after spraying in a greenhouse	190
--	-----

R . . .

RAVEN, Peter B.: Physiological response to "pressure-demand" respirator wear	773
REIST, P.C., Sc.D.: Performance of air purifying organic vapor respirators in valveless, bidirectional flow configurations	622
REUZEL, P.G.J.: Acute inhalation toxicity study of ammonia in rats with variable exposure periods	662
ROBERTS, Eugene C.: A sensitive colorimetric determination of 3,3'-dichlorobenzidine in urine	80
ROCK, James C.: A comparison between OSHA-compliance criteria and action-level decision criteria	297
RODRIGUEZ, S.T., M.S.: Determination of desorption efficiencies in the 3M 3500 Organic Vapor Monitor	569
ROHM-YOUNG, Debbie: Physiological response to "pressure-demand" respirator wear	773
ROOKER, Stephen J.: On the visibility of fibers by phase contrast microscopy	505
ROSCOE, Bradley A.: The application of factor analysis to source apportionment of aerosol mass	314
ROSE, Vernon E.: Passive dosimetry — state of the art review	605
ROSENBERG, Christina: A comparison of methods for the determination of diphenylmethane diisocyanate (MDI) in air samples	160
ROSSANO, Anthony J., Jr.: A sensitive colorimetric determination of 3,3'-dichlorobenzidine in urine	80
ROSSI, Dennis A., MPH: Computerization of medical and exposure records	444
ROY, Bernie: Free erythrocyte protoporphyrin, zinc protoporphyrin and blood lead in newly re-exposed smelter workers: a prospective study	516
RUMERY, R.A.: Survey, use, and performance of biological safety cabinets	265
RYAN, Roland L.: A hydrogen fluoride personal monitor using permeation sampling	640
RYLANDER, Ragnar: Airborne endotoxin in industries processing vegetable fibers	811

S . . .

SADLER, Orin W.: The application of positive practice overcorrection to the use of hearing protection	451
SALAMALIKIS, Lambros X., M.D.: Environmental lead pollution in Greece	796
SALARI, H.G.: Absorption of lead in Tehran traffic policemen	373
SALTZMAN, Bernard E., Ph.D.: Adequacy of current industrial hygiene and occupational safety professional manpower	254
Measurement of airborne aflatoxins during the handling of 1979 contaminated corn	580
SANIMI, Behzad, Ph.D.: Exposure to isophorone and other organic solvents in a screen printing plant	43
Monitoring of workers exposure to low levels of airborne monomers in a polystyrene production plant	858
SASSER, P.E.: Environmental influences levels of gram negative bacteria and endotoxin on cotton bracts	290
Microbial and endotoxin content of botanical trash in raw cotton	492
SAUDER, Larry R.: Duration of pulmonary function adaptation to ozone in humans	832
SCHIRMER, R.E.: Generation and characterization of red phosphorus smoke aerosols for inhalation exposure of laboratory animals	767
SCHNEIDER, Meier, M.S.: Flowrate associated variation in air sampling of low concentrations of benzene in charcoal tubes	423
SCHUETZLE, D.: Characterization of effluents from vehicle air bag inflators	915
SEFTON, Michael V.: Stain length passive dosimeters	820
SEGER, Mark J., MSCS: Computerization of medical and exposure records	444
SELIKOFF, Irving J., M.D.: Lead exposure reduction in workers using stabilizers in PVC manufacture: effects of a new encapsulated stabilizer	652
SEPTON, Jerry C.: Workplace air sampling and polarographic determination of formaldehyde	845
SEVERIN, Kathryn G.: The application of factor analysis to source apportionment of aerosol mass	314
SHARMA, R.P.: A stationary cold vapor method for atomic absorption measurement of mercury in blood and urine used for exposure screening	329
SHOTWELL, Odette L.: Measurements of airborne aflatoxins during the handling of 1979 contaminated corn	580
SILVESTRI, Rocco: Purge and trap analysis of toluene in blood: comparison with the head space method	938
SKAGGS, Barbara: Physiological responses to "pressure-demand" respirator wear	773
SKORNIK, William A.: Thermal decomposition products of PVC plastics: effects on guinea pig lung mechanics and pulmonary mixed function oxidase activity	900
SMART, G.L.: An aerosol and gas aging line suitable for use in inhalation toxicology research	218
SMITH, Curtis R.: Physical characteristics and attenuation of foam earplugs	31
SMITH, Dennis M.: Duration of pulmonary function adaptation to ozone in humans	832
SMITH, James W.: Industrial ventilation - a review and update	175
SMITH, Ralph G., M.S., Ph.D.: Occupational exposure to carbon black: a particulate sampling study	925
Health effect of occupational exposure to steady magnetic fields	387
SNODGRASS, Hubert L.: Dermal penetration and potential for placental transfer of the insect repellent, N,N-diethyl-m-toluamide	747
SODERHOLM, Sidney C.: An apparatus for production of submicron radiolabeled di-2-ethylhexyl phthalate aerosol	333
SPRINGER, D.L.: Generation and delivery of coal liquid aerosols for inhalation studies	486
STAMPFER, J.F.: Respirator canister evaluation for nine selected organic vapors	319
STANLEY, R.L.: Specific gravity adjustment of urine analysis results	863
STEINHAGEN, William H.: Acute inhalation toxicity and sensory irritation of dimethylamine	411
STEKELENBURG, M., M.D.: Noise at work — tolerable limits and medical control	403
STETTLER, Lloyd E.: Chemical composition of coal and other mineral slags	235
STOKES, E.L.: Characterization of effluents from vehicle air bag inflators	915
STUART, D.G.: Survey, use, and performance of biological safety cabinets	265
STUKEL, J.J.: An improved constant output atomizer	135
SUNDHOLM, Franciska: Detection of free radicals during processing of polyethylene and polystyrene plastics	544
SUTTER, Sue L.: Investigation of accident-generated aerosols: releases from free fall spills	540
SWENBERG, James A.: Acute inhalation toxicity and sensory irritation of dimethylamine	411

AUTHORS' INDEX . . .

T . . .

ten BERGE, W.F.: Acute inhalation toxicity study of ammonia in rats with variable exposure periods	662
TER HAAR, G.L.: Effectiveness of employee training and motivation programs in reducing exposure to inorganic lead and lead alkyls	692
THOMPSON, Richard B.: Computation of permissible noise exposure	371
THORNLEY, Glenn D.: A new passive colorimetric air monitoring badge for sampling formaldehyde in air	786
THORNTON, John C., Ph.D.: Lead exposure in workers using stabilizers in PVC manufacture: effects of a new encapsulated stabilizer	652
TUFTO, Pål Å.: Dependence of particulate sampling efficiency on inlet orientation and flow velocities	436
TUGGLE, R.M.: Assessment of occupational exposure using one-sided tolerance limits	338

U . . .

UNGERS, L.J.: Methodology for an occupational risk assessment: an evaluation of four processes for the fabrication of photovoltaic cells	73
--	----

V . . .

VARONOS, Dionissios D., M.D.: Environmental lead pollution in Greece	796
VAUGHAN, Nicholas P.: On the visibility of fibers by phase contrast microscopy	505
VERNOT, E.H.: Six month inhalation toxicity of fluomine dust	66
VILLA, Frank, Eng., Sc.D.: Lead exposure reduction in workers using stabilizers in PVC manufacture: effects of a new encapsulated stabilizer	652
VINCENT, W.J.: Acrylic acid — the development of an air sampling and analytical methodology for determining occupational exposure	499

W . . .

WALL, James H.: Extraction of lacinilene C 7-methyl ether in cotton dust and related materials	762
WALTERS, Robert B.: An aerosol and gas aging line suitable for use in inhalation toxicology research	218
A constant flow air sampler using vacuum regulation	376
WANG, H.C.: An improved constant output atomizer	135
WEBBER, James S.: Quality-control testing for asbestos analysis with synthetic bulk samples	427
WEEKS, Maurice H.: Dermal penetration and potential for placental transfer of the insect repellent, N,N-diethyl-m-toluamide	747
WEEKS, R.W., Jr.: Penetration of >5- μ m chrysotile fibers through DuPont Tyvek 1422A and Kimberly-Clark CPF fabrics	84
Permeation of protective garment material by liquid benzene and by tritiated water	201
WEISS, S. Anne, M.S.: Air volume measurement error in pumps with rotameters and high range "constant flow" pumps	754
WEST, Philip W.: A hydrogen fluoride personal monitor using permeation sampling	640
WESTERBERG, Lars-Martin: Detection of free radicals during processing of polyethylene and polystyrene plastics	544
WEYEL, Dietrich A.: Design and characterization of a low air flow nebulizer	934
WHITEHEAD, Lawrence W.: Health effects of wood dust - relevance for an occupational standard	674
WILLARD, D.H.: Generation and delivery of coal liquid aerosols for inhalation studies	486
WILLEKE, Klaus: Dependence of particulate sampling efficiency on inlet orientation and flow velocities	436
WILLIAMS, David T., Ph.D.: Real time monitoring of methomyl air levels during and after spraying in a greenhouse	190
WILLIAMS, Phillip L.: Pentachlorophenol, an assessment of the occupational hazard	799
WILLIAMS, Ted M.: A hematology survey of workers at a styrene-butadiene synthetic rubber manufacturing plant	164
WILMOTH, James N.: Physical characteristics and attenuation of foam earplugs	31
WOEBKENBERG, M.L.: A comparison of three passive personal sampling methods for NO ₂	553
WOOLRICH, Paul F.: Toxicology, industrial hygiene and medical control of TDI, MDI and PMPPi	89
WU, Wei S.: Determination of nitrites in metal cutting fluids by ion chromatography	942

Y . . .

YOUNG, Michael S.: Development of a passive dosimeter for hydrogen fluoride monitoring	890
YU, C.P.: A comparative study of aerosol deposition in different lung models	54
YUREK, Gregory J.: Generation and characterization of submicron aerosols of zinc oxide	880

Z . . .

ZIPRIN, R.L.: Alteration of mast cell cyclic AMP levels and its relationship by byssinosis	922
--	-----

1982 subject index . . .

A . . .

ACGIH specifications, for respirable dusts	575
AMP, in mast cells	922
accident-generated aerosols, measurement of	540
acrolein, canisters for	319
acrylic acid, adsorption of	499
determination in air	499
acrylonitrile, canisters for	319
passive dosimetry of	605
action levels, decision criteria	297
activated carbon filters, intermittent loading effects	686
adenosine, 3',5'-monophosphate, in mast cells	922
aerosol, accident-generated	540
alveolar deposition of	864
of coal liquids	486
determination of beryllium in	117
of ethylene glycol	250
from free fall spills	540
generation of	880
low flow nebulizer for	934
mixing in chamber	244
red phosphorus smoke	764,767
smoke generator	764
of zinc oxide	880
zinc oxide fume	887
aerosol aging, for inhalation studies	218
aerosol centrifuge, theory of operation	154
aerosol deposition, in lung model	54
aerosol generator, constant output	135
radiolabeled	333
submicron	333
aerosol mass, factor analysis for	314
aerosol mass monitors, sensitivity of	712
aflatoxins, from corn dust	580
aging aerosols, for inhalation studies	218
aging gases, for inhalation studies	218
aging line, for aerosols	218
for gases	
air bags, inflator effluent from	915
vehicle safety	915
air flow, in exposure chambers	244
in organic vapor respirators	622
sampling variability	754
vacuum regulated	376
air movement, in grinding booths	587
air pollutant, effect on respiratory clearance	679
air pollution, factor analysis in	314
from lead in Greece	796
from roof vents	466
air samplers, constant flow design	376
air supply, to hoods	738
Alberta, foundry study	825
aldehydes, combined determination	362
alveolar deposition, of particulates in humans	864
ammonia, inhalation toxicity of	662
LC ₅₀ vs. exposure period	662
passive dosimetry of	605
anthropometric parameters, in respirator design	897
Appel II, ventilation design by	212
arsenic trioxide, in copper smelters	223
asbestos, detection of	602
engineering control of	634
K ² screening test	602
pulmonary effects of	381
quality-control of analysis	427
in school rooms	602
synthetic bulk samples	427

asbestos workers, effects of cigarettes	381
ash, volcanic	128
assessment, of occupational exposures	338
atomic absorption, determination of mercury	329
modified procedure	329
atomic emission spectrometry, determination of beryllium	117
atomizer, constant output	135
attenuation, of foam earplugs	31
audit program, for industrial hygiene	867
automobile air bags, effluent from	915
automotive emissions, lead absorption from	373

B . . .

BHC, see hexachlorocyclohexane	
BMRC specifications, for respirable dusts	575
bacteria, on cotton bracts	290
bag breaking, dust control of	634
behavior modification, in hearing protection	451, 455
benzene, canisters for	319
determination by charcoal tubes	423
passive dosimeter for	820
permeation of clothing	201
beryllium, determination in aerosols	117
determination by emission spectrometry	117
biological activity, of cotton dust	495
biological monitoring, use of blood	271
for exposure levels	271
biological safety, cabinet design	265
Class II cabinets	265
blood, for biological monitoring	271
determining mercury in	329
determining toluene in	938
blood lead, levels in Greece	796
in smelter workers	516
blood pressure, effects of magnetic fields	533
booths, for spray painting	695
botanical trash, in raw cotton	492
butyl rubber fabric, permeation of	201
byssinosis, AMP in mast cells	922

C . . .

CEA Instruments, for formaldehyde	547
CPF fabric, penetration by chrysotile	84
canisters, evaluation of	319
for organic vapors	319
carbon bed filters, intermittent loading of	686
carbon black, determination in air	908
effects of	925
exposures to	925
carbon dioxide, determination in diesel exhaust	275
gas detector tubes	18
carbon monoxide, determination in diesel exhaust	275
gas detector tubes	18
passive dosimetry of	605
carbonless copy paper, health effects from	432
carcinogen, in environment	717
carcinogenicity, of pentachlorophenol	799
cardiovascular risk, in static magnetic fields	533
cardroom, respirable cotton dust	495
carpal tunnel syndrome, from poultry processing	103

SUBJECT INDEX . . .

carrying, of liquids	813	cotton dust, biological activity	495
centerline velocity, characteristics of hoods	626	from cardrooms	495
design formulas	626	forces in generation	477
Fletcher formula for	626	micronization of	477
centrifugal, particle spectrometer	154	morphological studies of	495
centrifuge, aerosol	154	respirable	495
chamber, inhalation toxicology	120, 874	use of tracers in	477
laminar flow	874	cotton trash, endotoxins in	492
charcoal tubes, determination of benzene	423	microbial content	492
determination of desorption efficiency	292	criteria, decision	297
effect of flowrate	423	critical orifice, in constant flow samplers	376
chemical accident, hazards of clean up	12	Cummings Lecture, 1982 Award	629
chemical waste, identification of	1	cumulative trauma, in poultry processing	103
isolation of	1	cutting fluids, determining nitrites in	942
chloramine-T, determination of 3,3'-dichlorobenzidine	80	cyclone samplers, efficiency of	520
chlorinated, foam earplugs	31	optimal performance of	520
chlorinated hydrocarbons, isolation of wastes	1	10-mm	520
chlorine, monitoring devices	347		
passive dosimetry of	605	D . . .	
personal monitors	347	DMCC, see dimethylcarbamoyl chloride	
chloroform, canisters for	319	DOP droplets, flattening coefficient of	395
chloromethyl methyl ether, canisters for	319	decision criteria, action level	297
chlorophenol, also see pentachlorophenol		compliance	297
chromatographic, determination of MDI	160	decision making, one-sided tolerance limits	338
chromatography, determination of acrylic acid	499	statistical	338
determination of nitrites	942	decontamination, after chemical accident	12
for LCME	782	of waste sites	12
chromotropic acid, determination of formaldehyde	362	density, adjustment of urine analysis	863
chrysotile fibers, penetration of fabrics	84	deposition, in airways	54
cigarettes, effect on asbestos workers	381	dermal penetration, by diethyl toluamide	747
Clause process, sulfur recovery	49	desortion, of charcoal tubes	292
coal, chemical composition of	235	desorption efficiency, determination of	569
liquified	473	determination by double elution	292
coal liquid, inhalation studies	486	for organic vapor monitors	569
coal liquid aerosols, generation of	486	detector tubes, for diesel air pollutants	275
cobalt, in airborne dust	645	interferences	275
analysis in dust	645	dielectric heat sealer, radiofrequency radiation from	149
in tungsten carbide dust	645	diesel exhaust, detector tube for	275
cold vapor, determination of mercury	329	diffusion, method for BHC	912
colorimetric, determination of MDI	160	diffusion dosimetry, see passive dosimetry	
compliance, decision criteria	297	diffusion membrane, dosimeters	820
computer, control of dust generator system	704	diffusion samplers, also see passive dosimeters	
computer software, for occupational health	666	exposure system for	227
for safety	666	for organic vapors	227
computerization, of exposure records	444	see passive samplers	
of medical records	444	also see personal monitors	
constant flow, air samplers	376	diisobutylene, exposure level guide	(1):B-83
containers, for carrying liquids	813	dilution, of exhaust hood gases	185
contaminant loading, of activated carbon filters	686	dilution hoods, design for	185
intermittent vs. constant	686	dimethyl terephthalate, exposure level guide	(1):B-85
contamination, evaluation of skin	473	dimethylamine, sensory irritation of	411
control, of asbestos dust	634	toxicity of	411
of spray painting	695	dimethylcarbamoyl chloride, determination in air	838
of substances under TSCA	418	diethylphthalate, also see DOP	
conveyors, dust control of	634	diphenylmethane diisocyanate, control of	89
copper, smelter exposures	223	determination in air	160
copper slag, chemical composition of	235	toxic effects of	89
copy paper, carbonless	432	di-2-ethylhexyl phthalate, aerosol generator	333
corn dust, aflatoxins in	580	dosimeters, for benzene	820
corn harvesting, aflatoxin exposures from	580	for chlorine	347
cost effectiveness, of industrial hygiene	254	examination by infrared	98
cotton, LCME from	782	for formaldehyde	786
cotton bracts, effect of frost	290	for hydrogen fluoride	890
effect on mast cells	922	for hydrogen sulfide	820
endotoxin on	290	length of stain	820
gram negative bacteria on	290	dosimetry, passive	605
		downwash, from roof vents	466

droplet diameter, measurement on slides	395
dry dust, controlled generator for	704
dust, alveolar deposition of	864
carbon black	925
cobalt in	645
from corn harvesting	580
cotton	495
from hard metal manufacture	645
respirable mass determination	520
wood	674
dust control, for asbestos	634
for bag breaking	634
for conveyors	634
dust deposition, in lung models	575
dust generator system, for animal exposures	704
computer control of	704
dust size, respirable dust	575
dynamic strength, of steelmill workers	853

E . . .

EDB, see ethylene dibromide	
earplugs, effects of chlorination	31
foam	31
education, occupational health of farmers	469
safety for farmers	469
Educational Resource Centers, functioning of	133
effluent, from vehicle air bags	915
electricians, polychlorinated biphenyl exposures	170
electrochemical sensors, for chlorine	347
electrolytic cells, magnetic fields of	387
electron microscopy, analysis for cobalt	645
elution, determination of desorption efficiency	292
emission spectrometry, determination of beryllium	117
employee training, reducing exposures by	692
endotoxins, on cotton bracts	290
in cotton trash	492
determination in air	811
lipopolysaccharide	811
from vegetable fibers	811
energy, of cotton dust generation	477
enforcement, in hearing conservation	455
epichlorohydrin, canisters for	319
ergonomics, carrying liquids	813
in poultry processing	103
error, in sample volumes	754
erythrocyte protoporphyrin, in smelter workers	516
ethyl acrylate, monitoring in air	858
ethyl benzene, diffusion sampler for	227
ethylene dibromide, NIOSH bulletin on	153
ethylene glycol, aerosol generation	250
determination in air	250
vapors in air	250
ethylene oxide, passive dosimetry of	605
exhaust hoods, centerline velocity characteristics	626
dilution designs	185
dilution of gases	185
exhaust ventilation, a review	175
exhibitors, 1982 Conference	(5):A-64
exposure chambers, aerosol mixing in	244
laminar flow	874
multilevel	244
exposure period, versus LC ₅₀	662
exposure records, computerization of	444
exposure system, for diffusion samplers	227
exposures, assessment of	338
to magnetic fields	387
extraction, of LCME	782

F . . .

fabrics, penetration by chrysotile fibers	84
factor analysis, source apportionment by	314
target transformation	314
farmers, occupational health education of	469
safety education of	466
fibers, asbestos analysis	427
phase contrast microscopy of	505
vegetable	811
visibility of	505
filter bed, capacity changes	686
filters, activated carbon bed	686
fit-testing, of respirators	897
flattening coefficient, for DOP droplets	395
measurement of	395
flow rate, of cyclone samplers	520
fluid dynamics, of aerosol centrifuge	154
fluomine dust, inhalation of	66
fluorescent, determination of skin contamination	473
fluorescent tracers, in cotton dust	477
flush vents, downwash from	466
foam earplugs, attenuation of	31
characteristics	31
formaldehyde, combined determination with total aldehydes	362
in day care centers	366
determination in air	845
in domestic environments	547
dosimeter for	786
gas detector tubes	18
monitoring in air	786
monitoring instruments for	547
from particle board	366
passive dosimetry of	605
polarographic determination	845
symptoms from	366
foundries, free silica in	825
free erythrocyte protoporphyrin, in smelter workers	516
free radicals, determination of	544
from polyethylene plastics	544
from polystyrene plastics	544
free silica, determination in volcanic ash	128
in foundries	825
fume, zinc oxide	887
fume hoods, air supply to	738
performance test	722

G . . .

gas aging, for inhalation studies	218
gas chromatography, for DMCC in air	838
determination of acrylic acid	499
gas detector tubes, effect of humidity	18
effect of temperature	18
gas vents, roof downwash from	466
Gasbadge™ HF, dosimeter for hydrogen fluoride	890
generator, controlled delivery of vapors	400
gram negative bacteria, on cotton bracts	290
Greece, lead pollution in	796
greenhouses, methomyl in air	190
grinding booth, design study	587
for large castings	587
guidelines, Cummings Lecture	629
NIOSH for lifting	931
guinea pigs, effects of zinc oxide	887

SUBJECT INDEX . . .

H . . .

hard metal mfg., cobalt in dust	645
head space, method for toluene	938
health monitoring, by computerized records	444
hearing conservation, efficacy of enforcement	455
hearing impairment, social	403
hearing loss, in prison industries	39
standards	403
hearing protection, behavior modification	451, 455
effectiveness of enforcement	455
overcorrection technique	451
hearing protection devices, enforcement of use	455
hexachlorocyclohexane, determination in air	912
hexachlorocyclopentadiene, waste disposal	1
hexadiene, exposure level guide	(1):8-89
hoods, centerline velocity characteristics	626
dilution designs	185
dilution of gases	185
laboratory	722, 738
protection factors of	596
humidity, effect on gas detector tubes	18
effect on SO ₂ -O ₃ exposures	26
hydrofluoric acid, also see hydrogen fluoride	
hydrogen fluoride, determination of	890
dosimeter for	890
monitoring for	640
permeation sampler for	640
hydrogen sulfide, gas detector tubes	18
passive dosimeter for	820
passive dosimetry of	605

I . . .

impact noise, see impulse noise	
impulse noise, calculation of limits for	371
permissible exposures	371
industrial hygiene, audit program	867
computer software package	666
cost effectiveness	254
manpower	254
industrial ventilation, a review	175
infrared analysis, of passive dosimeters	98
inhalation, of dimethylamine	411
of fluomine dust	66
horizontal flow chamber	874
toxicology chamber	874
inhalation chambers, dispersion coefficient of	120
performance modeling	120
inhalation dose, of radionuclides	8
inhalation studies, aging aerosols for	218
aging gases for	218
of ammonia	662
insect repellent, diethyl toluamide	747
insecticide, methomyl in air	190
ion specific electrode, for chlorine	347
iron foundries, free silica in	825
irritation, by dimethylamine	411
isocyanates, control of	89
toxic effects of	89
isophorone, exposure to	43

J . . .

job analysis, in poultry processing	103
-------------------------------------	-----

K . . .

K ² Asbestos Screening Test, use of	602
--	-----

L . . .

LCME, extraction of	782
laciniline C7-methyl ether	782
LPS, see lipopolysaccharide	
labeling, cotton plant parts	477
laboratory hoods, air supply to	738
performance of	722
protection factors of	596
laciniline C7-methyl ether, see LCME	
laminar flow, exposure chamber	874
laser, particle size analyzer	145
lead, biological monitoring for	271
in blood of smelter workers	516
in copper smelting	223
exposures to	223
pollution in Greece	796
lead absorption, from traffic emissions	373
in traffic police	373
lead exposure, from PVC stabilizer	652
reduced by training	692
length of stain, passive dosimeters	820
lifting, NIOSH Guidelines for	931
lifting capacity, of steel workers	853
limits, NIOSH on lifting	931
lindane, also see BHC	
determination in air	912
lipopolysaccharide, determination in air	811
exposure to	811
liquid carrying, acceptable weight of	813
container design for	813
liquid spills, aerosols from	540
liquified coal, skin contamination by	473
local exhaust, centerline velocities	626
lung, radionuclides in	8
lung model, for aerosol deposition	54
for aerosol uptake	8
comparative study	54
determination of respirable sizes	575

M . . .

MBTH, method for aldehydes	362
MDI, see diphenylmethane diisocyanate	
magnetic analysis, for cobalt	645
magnetic fields, cardiovascular risk in	533
effects of	387
of electrolytic cells	387
steady state	387
manpower, industrial hygiene	254
safety	254
mass monitors, GCA RDM-101	712
GCA RDM-301	712
particle size sensitivity of	712
mast cells, re. byssinosis	922
cyclic AMP levels	922
material handling, carrying liquids	813
m-Det, see N,N-diethyl-m-toluamide	
medical records, computerization of	444
membership survey, 1981	(6):A-47
membrane filters, in determination of carbon black	908
mercury, cold vapor method	329
determination by atomic absorption	329
determination in blood	329
determination in urine	329
passive dosimetry of	605
metal cutting, nitrites in fluids	942
methomyl, in greenhouse air	190
levels in air	190
monitoring for	190

methyl ethyl ketone, diffusion samplers for	227
methylene bisphenylisocyanate, see diphenylmethane diisocyanate	
methylmethacrylate, monitoring in air	858
microbial content, of cotton trash	492
microcomputer, ventilation design by	212
microdiffusion, method for BHC	912
micronization, of cotton plant parts	477
microscopic analysis, for asbestos fibers	427
microscopy, of fibers	505
phase contrast	505
mine ventilation, a review	175
mineral slags, chemical composition of	235
model, performance of inhalation chambers	120
moisture, elimination in sorbent tube	137
molding, free silica from	825
monitor, aerosol mass	712
monitoring, for chlorine	347
for hydrogen fluoride	640, 890
for methomyl	190
polystyrene monomers	858
morphology, of cotton dust	495
motivation, effect in reducing exposures	692
Mount St. Helens, analysis of ash from	128
mutagenicity, of pentachlorophenol	799

N . . .

NIOSH Guidelines, for lifting	931
N-butylacrylate, monitoring in air	858
nebulizer, for coal liquids	486
low airflow design	934
for radiolabeled aerosols	333
neoprene fabric, permeation of	201
neutron activation, analysis for cobalt	645
n-hexane, diffusion sampler for	227
nickel slag, chemical composition of	235
nitric oxide, determination in diesel exhaust	275
gas detector tubes	18
nitrites, determination in cutting fluids	942
nitrogen dioxide, determination in diesel exhaust	275
gas detector tubes	18
passive dosimetry of	605
passive samplers for	553
personal samplers for	553
nitrosodimethylamine, canisters for	319
N,N-diethyl-m-toluamide, dermal penetration by	747
placental transfer of	747
N-O-chlorophenylcinnaohydroxamine, determination of	
vanadium	529
noise, impulse limits	371
in refineries	49
social hearing impairment	403
in truck cabs	261
weighted exposure limits	403
noise hazard, in prison industries	39
nuclear transformations, in lungs	8

O . . .

OPD, see o-phenylenediamine	
obituary, Herbert T. Walworth	(5):A-26
occupational health, computer software package	666
education of farmers	469
oleic acid droplets, flattening coefficient of	395
o-methylstyrene, monitoring in air	858
1,1,2,2-tetrachloroethane, diffusion samplers for	227

one-sided limits, in assessing exposures	338
1,2-dibromoethane, canisters for	319
o-phenylenediamine, determination in air	196
organic solvents, in screen printing	43
vapor ratios of mixtures	656
organic vapor, analysis of dosimeters for	98
canisters for	319
controlled-delivery generator	400
diffusion samplers for	227
passive dosimetry of	605
respirators for	622
valveless respirators for	622
organic vapor monitors, desorption efficiencies of	569
overcorrection, for behavior modification	451
wearing hearing protection	451
ozone, exposure with sulfur dioxide	26
human exposure to	26
pulmonary adaption to	832

P . . .

PCB, see polychlorinated biphenyl	
PCP, see pentachlorophenol	
PMPI, see polymethylene polyphenylisocyanate	
PVC, see polyvinylchloride	
PVC stabilizer, lead exposure from	652
new encapsulated	652
paper, carbonless copy	432
particle board, formaldehyde from	366
particle generation, in grinding booths	587
particle size, centrifugal spectrometer	154
sensitivity of mass monitors	712
particle size analyzer, calibration of	145
laser	145
particle spectrometer, centrifugal	154
particulate sampling, efficiency of	436
flow velocity effects	436
inlet orientation effects	436
particulate, alveolar deposition of	864
of carbon black	925
factor analysis application	314
smoke generator	764
from vehicle air bags	915
passive dosimeter, analysis by infrared	98
also see diffusion samplers	
also see dosimeters	
for formaldehyde	786
for hydrogen fluoride	890
length of stain	820
passive dosimetry, status review	605
passive monitors, for chlorine	347
for organic vapors	227
passive samplers, for nitrogen dioxide	553
also see personal monitors	
penetration, by chrysotile fibers	84
pentachlorophenol, hazards of	799
toxicity of	799
penfluoroisobutylene, permeation wafer	286
standard for determination of	286
permeation, of protective clothing	201
permeation sampler, for hydrogen fluoride	640
permeation wafer, for perfluoroisobutylene	286
personal monitors, also see dosimeters	
also see passive samplers	
also see diffusion samplers	
effect of location	239
electrostatic effects	239
personal samplers, for nitrogen dioxide	553

SUBJECT INDEX . . .

petrographic analysis, for asbestos fibers	427
phase contrast microscopy, of fibers	505
phenyl-N-tert butylnitron, collection of free radicals	544
phosphorus, smoke generator	764
phosphorus smoke, inhalation study of	767
photovoltaic cells, hazards in fabrication	73
physiological response, wearing respirators	773
piperidine, exposure level guide	(1):B-91
placental transfer, of diethyl toluamide	747
polarized light, analysis for asbestos	427
polarograph, determination of formaldehyde	845
polychlorinated biphenyl, exposure to	170
in transformers	170
polyethylene plastics, free radicals from	544
polymethylene polyphenylisocyanate, control of	89
toxic effects of	89
polystyrene monomers, monitoring for	858
polystyrene plastics, free radicals from	544
polyvinylchloride, lead in stabilizers	652
also see PVC	
as permeation membrane	640
thermal decomposition of	900
toxicity by thermal decomposition	900
polyvinylchloride fabrics, permeation of	201
poultry processing, cumulative trauma from	103
powders, accident-generated aerosols from	540
pressure-demand respirators, effects of	773
printing, screen	43
prison industries, hearing loss study	39
procedures, for industrial hygiene audits	562
program, for industrial hygiene audits	867
propargyl alcohol, canisters for	319
protection factor, of laboratory hoods	596
of respirators	897
protective clothing, penetration by fibers	84
permeation tests of	201
protoporphyrins, in smelter workers	516
p-toluenesulfonyl chloride, Workplace Exposure Guide	(10):B-53
p-tolyl isocyanate, serum albumin conjugate	759
pulmonary, adaption to ozone	832
pulmonary effects, of PVC pyrolysis products	900
pulmonary function, of asbestos workers	381
effects of cigarettes	381
pulmonary response, to zinc oxide fume	887
pumps, sampling errors	754
purge and traps, method for toluene	938
pyrolysis, also see thermal decomposition	

Q . . .

quality-control, of asbestos analysis	427
---------------------------------------	-----

R . . .

RF, also see radiofrequency	
RF radiation, measurement of	149
radiation, radiofrequency	149
radiofrequency, also see RF	
radiation exposures	149
radio-immunoassay, for IgE	759
on TDI workers	759
radiolabeled aerosol, generator for	333
radionuclides, respiratory uptake of	8
rating, laboratory hoods	722
recirculation air, in grinding booths	587

record keeping, for TSCA	418
records, computerization of	444
red phosphorus, smoke	764, 767
refineries, sulfur recovery in	49
refinery processes, hazard evaluation of	49
regulation, under TSCA	418
reporting, TSCA requirements	418
respirable dusts, of carbon black	925
in lung models	575
specifications of	575
respirable mass, determination by cyclone samplers	520
respirator, bidirectional airflow in	622
evaluation of canisters	319
fit testing	897
for organic vapors	622
physiologic effects	773
pressure-demand	773
protection factor	897
valveless for organic vapors	622
respirator design, anthropometric parameters	897
respirator valves, effect of	622
respiratory effects, of sulfur dioxide-sulfate	679
of wood dusts	674
respiratory protection, for chemical decontamination	12
for spray painting	695
respiratory response, to zinc oxide fume	887
respiratory uptake, of radionuclides	8
risk assessment, in mfg. of photovoltaic cells	73
new technology	73
procedure	73
roof vents, downwash from	466
rotameters, errors in sampling	754
rubber, synthetic mfg.	164
rubber dust, carbon black in	908
rubber fabric, permeation of	201

S . . .

safety, computer software package	666
education of farmers	469
manpower	254
safety cabinets, biological	265
sampler, constant airflow	376
sampling, errors in airflow	754
particulates	436
sampling rate, effect on charcoal tubes	423
sand, use in foundries	825
screen printing, isophorone in	43
solvents used	43
screening test, for asbestos	602
sensors, for chlorine	347
serum assays, for IgE	759
of TDI workers	759
shakeout, in foundries	825
silica dust, in foundries	825
particle size analyzer	145
silica gel, adsorption of acrylic acid	499
silver membrane filters, in determination of carbon black	908
size analyzer, calibration of	145
laser	145
skin, contamination by liquified coal	473
evaluation of contamination	473
skin penetration, by diethyl toluamide	747
skin reactions, from wood dusts	674
slags, chemical composition of	235

smelter workers, blood lead in	516
erythrocyte protoporphyrin in	516
zinc protoporphyrin in	516
smelting, of copper	223
exposures in	223
smoke, red phosphorus	764, 767
smoke generator, uniform rate	764
smoke grenades, toxic exposure from	767
smoking, effects on asbestos workers	381
social hearing, impairment of	403
noise criteria	403
solid sorbent, for o-phenylenediamine	196
solid sorbent tube, for vinyl acetate	137
solvent, in screen printing	43
solvent extraction, of vanadium	529
solvent refined coal, toxicity study of	486
sorbent, for o-phenylenediamine	196
sorbent tube, for vinyl acetate monomer	137
specific gravity, adjustment of urine analyses	863
spectrometer, centrifugal	154
spectrometry, determination of beryllium	117
spectrophotometric, determination of vanadium	529
spherical drops, measurement of	395
spray booths, effectiveness of	695
spray painting, evaluation of controls	695
stabilizers, for PVC	652
stacks, also see vents	
standards, Cummings Lecture	629
lifting	931
for wood dusts	674
static magnetic fields, cardiovascular risks in	533
static strength, of steelmill workers	853
statistics, of decision criteria	297
one-sided tolerance limits	338
steelmill, workers lifting capacity	853
Stokinger Lecture, by H. Elkins	717
strength, of steel workers	853
styrene, monitoring in air	858
styrene-butadiene, survey of workers	164
synthetic rubber	164
sulfur dioxide, determination in diesel exhaust	275
exposure with ozone	26
human exposure to	26
passive dosimetry of	605
sulfur dioxide-sulfate, respiratory effects of	679
sulfur recovery, Clause-type process	49
evaluation of exposures	49
survey, 1981 membership	(6):A-47
synthetic rubber, styrene-butadiene	164
survey of workers	164
synthetic samplers, of asbestos	427
synergism, lack of in SO ₂ -O ₃ exposures	26

T . . .

TDI, see toluene diisocyanate	
TDI workers, sera assays on	759
TSCA, see Toxic Substances Control Act	
tape monitor, determination of MDI	160
target transformation factor analysis	314
Teflon fabric, permeation of	210
temperature, effect on gas detector tubes	18
effect on SO ₂ -O ₃ exposures	26
tenosynovitis, from poultry processing	103
teratogenicity, of pentachlorophenol	799

testing, laboratory hoods	722
under TSCA	418
thermal decomposition, of polyvinylchloride	900
also see pyrolysis	
3M Organic Vapor Monitor	569
3-methyl-2-benzothiazolone hydrazone, see MBTH	
3,3'-dichlorobenzidine, determination in urine	80
threshold, decision criteria	297
threshold limits, Stokinger Lecture	717
tolerance limits, in assessing exposures	338
one-sided	338
toluene, determination in blood	938
toluene diisocyanate, control of	89
also see TDI	
toxic effects of	89
total aldehydes, combined determination with formaldehyde	362
Toxic Substances Control Act	418
toxicity, of dimethylamine	411
of fluomine dust	66
tracers, in cotton dust	477
tractors, truck noise	261
traffic emission, lead absorption from	373
training, effect in reducing exposures	692
transformers, polychlorinated biphenyls in	170
trisodium phosphate, Workplace Exposure Guide	(10):B-51
tritiated water, permeation of clothing	201
truck drivers, noise exposure	261
truck noise, frequency spectra	261
truck tractors, noise in	261
tube, solid sorbent	137
tube furnace, aerosol generator	880
tungsten carbide, cobalt in dust	645
2-ethylhexylacrylate, monitoring in air	858
Tyvek fabric, permeation of	201
Tyvek-1422A, penetration by chrysotile	84

U . . .

urine, determination of mercury in	329
specific gravity adjustment	863
3,3'-dichlorobenzidine in	80

V . . .

VAPRAT, vapor ratio prediction	656
vacuum regulation, for constant flow samplers	376
valve, in respirators	622
valveless respirators, for organic vapors	622
vanadium, determination in complex materials	529
solvent extraction of	529
toxicology of	529
vapor generator, for animal exposures	400
controlled delivery	400
vapor ratios, for organic solvent mixtures	656
prediction of	656
vegetable fibers, endotoxin from	811
vehicle air bags, inflator effluent from	915
velocity ratio: in particulate sampling	436
ventilation, of bag breaking	634
control of asbestos	634
of conveyors	634
laboratory hoods	722, 738
review and update	175
for spray painting	695

SUBJECT INDEX . . .

ventilation design, by microcomputer	212
vinyl acetate, determination in air	137
solid sorbent for	137
visibility, by phase contrast microscopy	505
Viton fabric, permeation of	201
volcanic ash, determination free silica in	128
from Mt. St. Helens	128

W . . .

Walworth, Herbert T.	(5):A-26
waste, chlorinated hydrocarbons	1
isolation of	1
waste disposal, of hexachlorocyclopentadiene	1
waste sites, clean up	12
hazards to workers	12
wind patterns, around buildings	466

wood dusts, health effects of	674
standard for	674
Workplace Environmental Exposure Level Guide, p-toluenesulfonyl	
chloride	(10):B-53
trisodium phosphate	(10):B-51

X . . .

x-ray diffraction, analysis of volcanic ash	128
---	-----

Z . . .

zinc oxide, aerosol characteristics	880
aerosol generator	880
respiratory responses to	887
zinc protoporphyrin, monitoring for lead	271
in smelter workers	516